## **TD-E2137**



- 7 inch IPS touch screen
- A maximum of 6 indoor stations can be installed in the same room
- Supports live preview of door stations and linked cameras
- Supports snapshot when calling via door station (micro SD card required)
- Supports Do Not Disturb function
- Supports noise suppression and echo cancellation
- 8CH zone alarm access function
- Self-define unlocking password
- Supports 2.4G WIFI
- Supports 1CH 12V200mA power output for powering up a sensor

Address: 23<sup>rd</sup> Floor, Block B4, Building NO.9, Shenzhen Bay Eco-Technology Park, Nanshan District, Shenzhen,

Guangdong Province, P.R. China

Tel: +86-755-36995888 Website: http://en.tvt.net.cn Fax: +86-755-33104777 E-mail: overseas@tvt.net.cn



## TD-E2137

!rdno::Str#ier:

## Specifications

	System	Operating System	Linux
	Display	Display Screen	7 inch IPS touch screen
		Display Resolution	1024 × 600, brightness:300 cd/m2
		Operation Method	Capacitive touch screen
		Video Input	Max. 4CH videos can be viewed simultaneously
	Video	Network Input Resolution	6MP/5MP/4MP/3MP/1080P/1280×1024/960P/720P/960H/D1/CIF0.48 0.48 ref*92.65 3 593.98 Tm0 gf0.48 0.48 r.56 9

## TD-E2137